

L Number	Hits	Search Text	DB	Time stamp
62	686	(stor\$4 with printer\$4 with information\$4) same setting\$3	USPAT; US-PGPUB	2004/09/29 23:46
63	246	((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4)) and (((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4)) same ((user\$4 or peopl\$4 or person\$4 or profil\$4) with (information\$4 or data) with (histor\$4)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:47
64	163	stor\$4 with printer\$4 with histor\$4 with information\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:48
65	16	((((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same (((histor\$2 or log\$2) adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and g06f\$.ipc.) and 710/19.ccls.	USPAT; US-PGPUB	2004/09/29 23:49
66	91	((((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and (stor\$4 with printer\$4 with histor\$4 with information\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:50
67	42	((clear\$3) with (print\$3) with (log\$2 or histor\$3)) and (710/19.ccls. or 358/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:50
68	91	((((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and (stor\$4 with printer\$4 with histor\$4 with information\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:51
69	1	(printer\$4 or facsimile\$3) same (histor\$4) same (settings\$4) same (mode\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:52
70	21	(clear\$3) adj2 histor\$2 adj2 information\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:52
71	151	(peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4) same (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:54
72	32803	(peripheral or printer or scanner or cop\$4 or facsimile) and (stor\$4 or sav\$4) and (user\$4 or peopl\$4 or person\$4 or profil\$4) and (information\$4 or data) and (histor\$4) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:54
73	32815	(peripheral or printer or scanner or cop\$4 or facsimile) and (stor\$4 or sav\$4) and (user\$4 or peopl\$4 or person\$4 or profil\$4) and (information\$4 or data\$4) and (histor\$4) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:55
74	470	((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:55
75	34	((clear\$3) with (print\$3) with (log\$2 or histor\$3)) and (710/19.ccls. or 358/\$.ccls.) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:56

76	32	((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and (stor\$4 with printer\$4 with histor\$4 with information\$4) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:57
77	21	"peripheral device control system"	USPAT; US-PGPUB	2004/09/29 23:57
78	62	(stor\$4 with printer\$4 with histor\$4 with information\$4) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB	2004/09/29 23:57
79	306	(clear\$3 or delet\$3) same (print\$3) same (log\$2 or histor\$3) same (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:57
80	191	((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4)) and (((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4)) same ((user\$4 or peopl\$4 or person\$4 or profil\$4) with (information\$4 or data) with (histor\$4))) and (setting\$3 or parameter\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:58
-	18	"peripheral device control system"	USPAT; US-PGPUB	2004/09/29 23:55
-	5655	stor\$4 with printer\$4 with information\$4	USPAT; US-PGPUB	2004/09/29 23:45
-	1414	(stor\$4 with printer\$4 with information\$4) and (host\$4 near5 computer\$4)	USPAT; US-PGPUB	2003/02/02 17:54
-	53	stor\$4 with printer\$4 with histor\$4 with information\$4	USPAT; US-PGPUB	2004/09/29 23:55
-	25624	(peripheral or printer or scanner or cop\$4 or facsimile) and (stor\$4 or sav\$4) and (user\$4 or peopl\$4 or person\$4 or profil\$4) and (information\$4 or data) and (histor\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:53
-	650	(peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:52
-	337	((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:54
-	249	((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4)) same ((user\$4 or peopl\$4 or person\$4 or profil\$4) with (information\$4 or data) with (histor\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2003/02/02 18:39
-	140	((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4)) and (((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4)) same ((user\$4 or peopl\$4 or person\$4 or profil\$4) with (information\$4 or data) with (histor\$4)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:45
-	1	("0725607").PN.	USPAT; US-PGPUB	2003/02/05 17:03
-	645128	(peripheral control device system).ti.	USPAT; US-PGPUB	2003/02/05 17:05
-	3	(peripheral adj device adj control adj system).ti.	USPAT; US-PGPUB	2003/02/05 17:05
-	1	("5828375").PN.	USPAT; US-PGPUB	2003/02/07 15:54
-	0	710/19.ccls	USPAT; US-PGPUB	2003/02/07 15:55
-	192	710/19.ccls.	USPAT; US-PGPUB	2004/03/15 13:44

-	494581	((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 11:07
-	1022	((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 adj2 info\$8) or (complete\$2 with (print adj2 job\$2)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 11:09
-	37428	(peripheral or printer or scanner or cop\$4 or facsimile) and (stor\$4 or sav\$4) and (user\$4 or peopl\$4 or person\$4 or profil\$4) and (information\$4 or data\$4) and (histor\$4)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:54
-	136	stor\$4 with printer\$4 with histor\$4 with information\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:45
-	72	((((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and (stor\$4 with printer\$4 with histor\$4 with information\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:46
-	2	6202092.URPN.	USPAT	2004/03/15 11:30
-	4	("5513126"   "5638497"   "5819047"   "5903716").PN.	USPAT	2004/03/15 11:34
-	1579	((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same (((histor\$2 or log\$2) adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 13:44
-	798	((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same (((histor\$2 or log\$2) adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 13:49
-	251	710/19.ccls.	USPAT; US-PGPUB	2004/03/15 13:45
-	12	((((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same (((histor\$2 or log\$2) adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and g06f\$.ipc.) and 710/19.ccls.	USPAT; US-PGPUB	2004/09/29 23:46
-	462	((printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 or log\$2) adj2 info\$8)) and g06f\$.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 13:50
-	5	((printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 or log\$2) adj2 info\$8)) and g06f\$.ipc. and 710/19.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 13:52
-	72	((printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 or log\$2) adj2 info\$8)) and g06f\$.ipc. and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 14:02
-	0	20010017700.URPN.	USPAT	2004/03/15 13:56
-	40041	358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 14:03

-	40252	710/19.ccls. or 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 14:03
-	35	((710/19.ccls. or 358/\$.ccls.) and (((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:04
-	2284	(clear\$3 or delet\$3) same (print\$3) same (log\$2 or histor\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:56
-	427	(clear\$3 or delet\$3) with (print\$3) with (log\$2 or histor\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:06
-	66	((clear\$3 or delet\$3) with (print\$3) with (log\$2 or histor\$3)) and (710/19.ccls. or 358/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:05
-	316	(clear\$3) with (print\$3) with (log\$2 or histor\$3)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:09
-	38	((clear\$3) with (print\$3) with (log\$2 or histor\$3)) and (710/19.ccls. or 358/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:54
-	0	((clear\$3) adj2 histor\$2 adj2 information\$2) same printer\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:10
-	0	((clear\$3) adj2 histor\$2 adj2 information\$2) same print\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:10
-	21	(clear\$3) adj2 histor\$2 adj2 information\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:52
-	211	((((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4) same (user\$4 or peopl\$4 or person\$4 or profil\$4) same (information\$4 or data) same (histor\$4)) and network\$4 and (host\$4 or server\$4)) and (((peripheral or printer or scanner or cop\$4 or facsimile) same (stor\$4 or sav\$4)) same ((user\$4 or peopl\$4 or person\$4 or profil\$4) with (information\$4 or data) with (histor\$4)))	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/09/29 23:56
-	615	homma.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:20
-	56	homma.in. and print\$2	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:21
-	1	homma-masayuki.in.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/15 14:21

-	77	((((imag\$2 adj2 form\$3 adj2 device\$2) or printer\$2 or facsimile\$2 or scanner\$2 or copier\$2) same ((histor\$2 adj2 info\$8) or (complete\$2 with (print adj2 job\$2))) ) and (stor\$4 with printer\$4 with histor\$4 with information\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 23:55
-	2	(print\$2 adj2 job\$2) with (notif\$9 or acknowledg\$5) with limit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:06